# Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/IL05/000303

International filing date: 17 March 2005 (17.03.2005)

Document type: Certified copy of priority document

Document details: Country/Office: US

Number: 60/602,636

Filing date: 19 August 2004 (19.08.2004)

Date of receipt at the International Bureau: 09 June 2005 (09.06.2005)

Remark: Priority document submitted or transmitted to the International Bureau in

compliance with Rule 17.1(a) or (b)





# THIOR ON THE DEVICE OF THE CANDIDATE CONTINUES.

TO ALL TO WHOM THESE PRESENTS SHAVE COMES

UNITED STATES DEPARTMENT OF COMMERCE

**United States Patent and Trademark Office** 

**April 29, 2005** 

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE UNDER 35 USC 111.

APPLICATION NUMBER: 60/602,636

FILING DATE: August 19, 2004

By Authority of the COMMISSIONER OF PATENTS AND TRADEMARKS

L. Edde

L. EDELEN
Certifying Officer

TELEPHONE

PTO/SB/16 (01-04)

Approved for use through 07/31/2006. OMB 0651-0032.

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE.

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE.

PROVISIONAL APPLICATION FOR PATENT COVER SHEET

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CEP 4 CEP.

Express Mail Label No.

INVENTOR(S) Residence Family Name or Surname Given Name (first and middle [if any]) (City and either State or Foreign Country) separately numbered sheets attached hereto Additional inventors are being named on the TITLE OF THE INVENTION (500 characters max) INVARD MOVEMENT OF AN LIMITING CIRCUMFERENTIAL F 42 RING APPLICATOR FURINSERMON OF CORRESPONDENCE ADDRESS Direct all correspondence to: TAMPONS, VARIOUS VACIMAL DRUGS Customer Number: OR Firm or ELAN 210 Individual Name AILANOT STREET Address Address HABROSHIM Zip State ISRAGL City AMAI Telephone 49 72-3-776916 Country ISRAFL ENCLOSED APPLICATION PARTS (check all that apply) CD(s), Number Specification Number of Pages Other (specify) The Drawing(s) Number of Sheets Application Data Sheet. See 37 CFR 1.76 METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT **FILING FEE** Applicant claims small entity status. See 37 CFR 1.27. Amount (\$) A check or money order is enclosed to cover the filing fees. The Director is herby authorized to charge filing fees or credit any overpayment to Deposit Account Number: Payment by credit card. Form PTO-2038 is attached. The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government. No. Yes, the name of the U.S. Government agency and the Government contract number are: [Page 1 of 2] 15. 8-04 Date Respectfully submitted, REGISTRATION NO. \_ SIGNATURE\_ (if appropriate) TYPED or PRINTED NAME Docket Number. 49H-52

USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

This collection of information is required by 37 CFR 1.51. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the completed application form the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop Provisional Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

C	3	•
Ç	35	;
S	٤	=
•	_	-
ď	_	-
_		
5	•	-
_		

PTO/SB/17 (10-03) Approved for use through 07/31/2006. OMB 0651-0032

U Index the Repetitive Reduction Act of 1995, no persons are require	U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMER quired to respond to a collection of information unless it displays a valid OMB control number					
	Complete if Known					
FEE TRANSMITTA	Application Number					
	Filing Date					
for FY 2004	First Named Inventor D2. EUN 210					
Effective 10/01/2003. Patent fees are subject to annual revision.	ion. Examiner Name					
Applicant claims small entity status. See 37 CFR 1.27	Art Unit					
TOTAL AMOUNT OF PAYMENT (\$) 80	Attorney Docket No.					
METHOD OF PAYMENT (check all that apply)	FEE CALCULATION (continued)					
	a applicable rees					
Check Credit card Money Order None	Large Entity , Small Entity					
Deposit Account:	Fee Fee Fee Fee Fee Description  Code (\$)   Code (\$)   Fee Pair					
Deposit Account	Code (\$)   Code (\$)   Fee Pair   1051   130   2051   65   Surcharge - late filling fee or cath					
Number Deposit	1052 50 2052 25 Surcharge - late provisional filing fee or					
Account Name	cover sheet  1053 130 1053 130 Non-English specification					
The Director is authorized to: (check all that apply)	1812 2,520 1812 2,520 For filing a request for ex parte reexamination					
Charge fee(s) indicated below Credit any overpayments  Charge any additional fee(s) or any underpayment of fee(s)	1804 920* 1804 920* Requesting publication of SIR prior to Examiner action					
Charge fee(s) indicated below, except for the filing fee	1805 1,840* 1805 1,840* Requesting publication of SIR after					
to the above-identified deposit account.	Examiner action					
FEE CALCULATION	1251 110 2251 55 Extension for reply within first month  1252 420 2252 210 Extension for reply within second month					
1. BASIC FILING FEE	1252 420 2252 210 Extension for reply within second month					
arge Entity Small Entity Fee Fee Fee Fee Fee Paid						
Code (\$) Code (\$)	1255 2,010 2255 1,005 Extension for reply within fifth month					
1001 770 2001 385 Utility filing fee 1002 340 2002 170 Design filing fee	1401 330 2401 165 Notice of Appeal					
1002 340 2002 170 Design titing fee 1003 530 2003 265 Plant filing fee	1402 330 2402 165 Filing a brief in support of an appeal					
1004 770 2004 385 Reissue filing fee	1403 290 2403 145 Request for oral hearing					
1005 160 2005 80 Provisional filing fee						
SUBTOTAL (1) (\$) \$0	1452 110 2452 55 Petition to revive - unavoidable					
2 FXTRA CLAIM FEES FOR UTILITY AND REISSUI	1453 1,330 2453 665 Petition to revive - unintentional  SUE 1501 1,330 2501 665 Utility issue fee (or reissue)					
Fee from Extra Claims below Fee Pair						
Total Claims20** = X =	1503 640 2503 320 Plant issue fee					
Independent3** = X =	1460 130 1460 130 Petitions to the Commissioner					
Multiple Dependent	1807 50 1807 50 Processing fee under 37 CFR 1.17(q)					
Large Entity   Small Entity Fee Fee   Fee Fee   Fee Description	1806 180 1806 180 Submission of Information Disclosure Stmt  8021 40 8021 40 Recording each patent assignment per					
Code (\$) Code (\$)	property (times number of properties)					
1202 18 2202 9 Claims in excess of 20	1809 770 2809 385 Filing a submission after final rejection (37 CFR 1.129(a))					
1201 86 2201 43 Independent claims in excess of 3 1203 290 2203 145 Multiple dependent claim, if not paid						
and the Date was trade and all the	examined (37 CFR 1.129(b))					
over original patent	1801 770 2801 385 Request for Continued Examination (RCE)					
1205 18 2205 9 ** Reissue claims in excess of 20 and over original patent	1802 900 1802 900 Request for expedited examination of a design application					
	Other fee (specify)					
SUBTOTAL (2) (\$) *Reduced by Basic Filing Fee Paid SUBTOTAL (3) (\$)						
(Complete (# applicable))						
Name (Print/Type) D7 . ELAN 2 iv	Registration No. Telephone 4911 52-3564					
	. Date /5.8.04					
WARNING: Information on this form may become public. Credit card information should not						
warrings: information of the control						

This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

## A CIRCUMFERENTIAL RING FOR LIMITING INWARD MOVEMENT OF AN APPLICATOR FOR INSERTION OF TAMPONS, VARIOUS VAGINAL DEVICES AND INTRAVAGINAL DRUGS

The present invention relates generally to the field of intra- vaginal treatment of various conditions, such as infections, urinary incontinence, etc., in female patients. More specifically, the present invention relates to a vaginal applicator, intended for the correct placing of tampons, drugs, devices, etc., within the vaginal cavity. The invention describes a vaginal applicator which is inserted in a no-self-touch technique, up to a certain point in the vagina, with a circumferential ring marking the limit for insertion.

Inventor: Dr Elan Ziv, MD OBGYN, Urogynecologist

### **Background of the Invention**

15

20

25

30

There are instances in medicine, in which a device should be applied into the vagina, but to a certain depth only, while retaining the full length of the applicator. In the case of vaginal devices used to treat urinary incontinence, it is imperative that one end of the device should be placed just under a predefined location within the vagina, such as the bladder neck or mid urethra. The device is inserted with an applicator, having its own length which cannot be altered, thereby its extreme necessity to be accurate in its vaginal positioning. The exact positioning directly affects the efficacy of the device.

One possibility of solving the problem is by shortening the device and the applicator to the desired length, thereby a full insertion of the applicator (as is done with the insertion of a menstrual tampon) is performed. In some cases that solution is not applicable, hence the need to mark the site which the application process should be stopped. One such possibility is by drawing a mark on the applicator which will instruct the user regarding the depth of insertion. Disadvantage of such method is by the fact that the user should be alert to the sign, and might miss it or forget to look for it. Another possibility is to add a raised mark on the applicator, so that the user's fingers are in direct contact with that raised area, preventing the wrong length insertion of the applicator. That raised area could be a roughened area or a set of lines or a circumferential ring.

"A circumferential ring for limiting inward movement of a vaginal applicator for insertion of tampons, vaginal devices, and drugs"

Dr Elan Ziv, MD OBGYN, Urogynecologist

Page 1 of 4

..... har LIGOTO from the IEM Image Database on 04/22/2005

While insertion of the applicator into the vagina, the user's fingers are held behind the ring, thereby marking the point for no further insertion. This will allow for a no-self-touch technique of insertion.

With different devices, for different intended uses, the ring should be placed in a different location along the applicator, as decided for this intended use. Dimensions of the ring might also alter according to intended use and to manufacturer's desire.

In some cases, the limiting ring might be part of the original molding by which the applicator was designed or manufactured. It is also possible to design an external body which will be fitted on top of the existing applicator, with the ring at the pre-defined dimensions and length from the margins. Such an external body may be made of a soft material such as silicone, or in some cases- of a harder material, such as polyethylene.

10

<sup>&</sup>quot;A circumferential ring for limiting inward movement of a vaginal applicator for insertion of tampons, vaginal devices, and drugs"

Dr Elan Ziv, MD OBGYN, Urogynecologist

Page 2 of 4

#### The Invention

5

10

20

30

The present invention provides a means for controlling the depth of insertion of an applicator in order to place a vaginal device or drug into the predetermined proper position. One such condition for use is the intra-vaginal device for the treatment of urinary incontinence in females. When involuntary urination occurs, it is usually the result of the abnormal descent of the bladder neck and the urethra into a low position, away from the intra-abdominal pressure system. This "hypermobility" is the result of some injury to the support mechanism which normally keeps the urethra and the bladder neck in a raised position, along the backside of the pubic bone. The lowering of the bladder neck and the urethra that occur, for example, when a woman coughs, sneezes, or laughs, causes involuntary leakage of urine. The present invention is designed so as to provide a solution for putting a device exactly at the right spot where it should be in order to function correctly.

15 The invention will now be described with reference to accompanying drawing:

FIG. 1 is a side view of the applicator with the limiting ring.

The opening of the applicator (1) is located at the front side of the applicator, the first to be inserted. The body of the applicator (2) contains the tampon or the device or the drug to be applied into the vagina. The plunger (8) is designed to push the tampon or device or drug through the opening (1) into the vagina.

The limiting ring (4) is located at a predetermined length from opening (1). It might be part of the body of the applicator (2) or as a part of an external body (6) fitted externally on the body of the applicator (2)

#### 25 Way of use:

The user inserts front edge of the applicator (1) into the vagina, gently pushing the body (2) inside until her fingers, located caudal to the limiting ring (4) come into touch with the external side of the labia. She then holds, and pushes the plunger (8) forward so as to push the inner content of the applicator into the vagina. The tampon or device is now in the right position and the applicator is disposed.

"A circumferential ring for limiting inward movement of a vaginal applicator for insertion of tampons, vaginal devices, and drugs"

Dr Elan Ziv, MD OBGYN, Urogynecologist

Page 3 of 4

### Alfernative embodiments of the invention:


- It may be manufactured in different sizes
- If may be made of many flexible materials, such as silicone, polyurethane, etc.
- ✓ It may be made of several colors

5

- The applicator may be originally designed with the ring
- Length from the opening of the applicator may vary
- The invention may be used for other orifices in the body, such as the rectum, etc.

"A circumferential ring for limiting inward movement of a vaginal applicator for insertion of tampons, vaginal devices, and drugs"

Dr Elan Ziv, MD OBGYN, Urogynecologist



"A circumferential ring for limiting inward movement of a vaginal applicator for insertion of tampons, vaginal devices, and drugs"

Inventor: Dr Elan Ziv, MD OBGYN, Urogynecologist Page 1 of 1

		!
•		
		-